

Sistemi za izradu staklena pregradnih vrata

europrofil

PVS Magic 2 Frame sistemi za staklena pregradna vrata

80kg


Staklo
5mm
6mm
6.5mm

1500mm
max

Meko
zatvaranje

PVS MAGIC 2 FRAME 1.5 x 2.2m Coffee TS

Coffee
eloksaža



4x20
4 kom


4x30
6 kom

4,5x40
4 kom

3,5x20
36 kom

FISCHER SX5
6 kom


FISCHER UX6
4 kom



Gornja šina/vodica L=1.5m



Vertikalni profil L=2.2m



Donja vodica L=1.5m



PVC profil za donju vod. L=1.5m




PVC ispuna za horizontalne i vertikalne profile

set Coffee šifra 7391

PVS MAGIC 2 FRAME 1.5 x 2.6m Coffee TS

Coffee
eloksaža



4x20
4 kom


4x30
6 kom

4,5x40
4 kom

3,5x20
36 kom

FISCHER SX5
6 kom


FISCHER UX6
4 kom



Gornja šina/vodica L=1.5m



Vertikalni profil L=2.6m



Donja vodica L=1.5m



PVC profil za donju vod. L=1.5m



PVC ispuna za horizontalne i vertikalne profile

set Coffee šifra 7396

Sistemi za izradu staklena pregradnih vrata

europrofil

PVS Magic 2 Frame sistemi za staklena pregradna vrata

80kg


Staklo
5mm
6mm
6.5mm

1500mm
max

Meko
zatvaranje

PVS MAGIC 2 FRAME 1.5 x 2.2m Grafit Siva TS

Grafit siva
eloksaža



4x20
4 kom


4x30
6 kom

4,5x40
4 kom

3,5x20
36 kom

FISCHER SX5
6 kom


FISCHER UX6
4 kom



Gornja šina/vodica L=1.5m



Vertikalni profil L=2.2m



Donja vodica L=1.5m



PVC profil za donju vod. L=1.5m




PVC ispuna za horizontalne
i vertikalne profile

set Grafit 7390

PVS MAGIC 2 FRAME 1.5 x 2.6m Grafit Siva TS

Grafit siva
eloksaža



4x20
4 kom


4x30
6 kom

4,5x40
4 kom

3,5x20
36 kom

FISCHER SX5
6 kom


FISCHER UX6
4 kom



Gornja šina/vodica L=1.5m



Vertikalni profil L=2.6m



Donja vodica L=1.5m



PVC profil za donju vod. L=1.5m



PVC ispuna za horizontalne
i vertikalne profile

set Grafit 7395

Sistemi za izradu staklena pregradnih vrata

europrofil

PVS Magic 2 Frame sistemi za staklena pregradna vrata


80kg

Staklo
5mm
6mm
6.5mm


1500mm
max

Meko
zatvaranje


Tehnički crteži i prikaz montaže mehanizma







Izračunavanje dimenzija staklenih ispuna za klizna vrata





Visina staklene ispune = Visina vrata(Y) - 64




Širina staklene ispune = Širina vrata - 14

 80kg	 Staklo 5mm 6mm 6.5mm	 1500mm max	 Meko zatvaranje
--	---	---	--



Određivanje širine vrata sa preklopom od 185mm.




X = Min. 818 mm (**L = 850**)
X = Max. 1468 mm (**L = 1500**)





Određivanje širine vrata sa preklopom od 105mm.




X = Min. 733 mm (**L = 850**)
X = Max. 1383 mm (**L = 1500**)





Tehnički crteži i prikaz montaže mehanizma

Određivanje širine vrata sa preklapom **bez preklopa**.



X = Min. 632 mm (**L = 850**)
 X = Max. 1282 mm (**L = 1500**)

